





PipeCut 360 INOX

I Voltage/Power/Current	230 V 2500 W
II Voltage/Power/Current	110-120 V 2200 W
No-Load speed	1 = 1900 r/min
	2 = 2885 r/min
Mounting bore	62 mm

Long-awaited Exact PipeCut 360 INOX

The long-awaited INOX pipe saw, developed based on customer wishes, is specifically targeted at stainless and acid-resistant materials. To avoid contamination, all parts in contact with the pipe are also made of stainless steel, so you can work with the most challenging materials without fear of subsequent corrosion on the pipe wall. Have thick pipes been problematic in the past? Not anymore! With a powerful motor this tool can easily cut pipes up to 15 mm wall thickness. This machine combined with the new INOX blade is unbeatable combination if you are looking for an easy-to-handle cutter for a job where speed and quality of cuts are key factors.



PRICE INCLUDES:

PipeCut 360 INOX pipe saw, INOX blade, shoulder bag, pipe supports 2 single 1 double, instructions, allen keys 5 mm & 2 mm.

www.exacttools.com



(15)

BLADES & DISCS 140

BLADE/DISCS DIMENSIONS (MM)

	Ø	BORE	KERF	BODY	TEETH	PIPE MATERIAL	SUITABLE WITH
TCT 140	140	62	1.8	1.4	46	Steel, Copper, Plastics	PC 170, 170E, 220E, 280 PS, 360 PS, 460 PS
TCT Z140	140	62	1.8	1.4	38	Steel, Copper, Plastics	PC 170, 170E, 220E, 280 PS, 360 PS, 460 PSPC460PS
CERMET 140	140	62	1.8	1.4	46	Steel, Stainless Steel, Copper, Plastics	PC 170, 170E, 220E, 280 PS, 360 PS, 460 PS
CERMET 140 THIN	140	62	1.4	1.2	46	Steel, Stainless Steel, Copper, Plastics	For special application
DIAMOND X140	140	62	2.7	1.5	-	Cast Iron, Ductile (nodular cast iron)	PC 170, 170E, 220E, 280 PS, 360 PS, 460 PS
ALU 140	140	62	2.5	1.8	36	Aluminium	PC 170, 170E, 220E, 280 PS, 360 PS, 460 PS
INOX 140 NEW	140	62	1.65	1.3	46	Stainless Steel, Acid Proof	PC 220 INOX & 360 INOX

BLADES & DISCS 165

PLEASE NOTE: PS (Pro Series) models can be mounted with a 140 mm saw blade, but will have limited maximum cutting depth.

BLADE/DISCS DIMENSIONS (MM)							
	Ø	BORE	KERF	BODY	TEETH	PIPE MATERIAL	SUITABLE WITH
TCT 165	165	62	1.8	1.4	52	Steel, Copper, Plastics	PC 280 PS, 360 PS, 460 PS
CERMET 165	165	62	1.8	1.4	52	Steel, Stainless Steel, Copper, Plastics	PC 280 PS, 360 PS, 460 PS
DIAMOND X165	165	62	2.7	1.5	-	Cast Iron, Ductile (Nodular Cast Iron)	PC 280 PS, 360 PS, 460 PS
ALU 165	165	62	2.5	1.8	42	Aluminium	PC 280 PS, 360 PS, 460 PS
DIAMOND Cut+Beve	a 165	62	3.1	2	0	Cast Iron, Ductile (Nodular Cast Iron)	C+B 360 PS, C+B AIR 360

BLADES 180

BLADE/DISCS DIMENSIONS (MM)							
	Ø	BORE	KERF	BODY	TEETH	PIPE MATERIAL	SUITABLE WITH
ALU 180	180	62	2.7	1.8	46	Aluminium, Plastics	PC AIR 360, 360 PS, 460 PS
CERMET 180	180	62	2.7	1.8	46	Steel, Stainless Steel	PC AIR 360, 360 PS, 460 PS
DIAMOND X180	180	62	2.7	1.5	-	Cast Iron	PC AIR 360, 360 PS, 460 PS

SPECIAL BLADES & TIPS

BLADE/DISCS DIMENSIONS (MM)							
	ø	BORE	KERF	BODY	TEETH	PIPE MATERIAL	SUITABLE WITH
CERMET V155	155	65	1.6	1.4	58	Thin wall ventilation pipes	PC V1000
TCT P150	150	62	1.8	1.4	40	Plastics (PE, PP, PVC and similar)	PC P400
CUT+BEVEL	148	62	2/30)	40/8	Plastics (PE, PP, PVC and similar)	PC P400
CUT+BEVEL DIAM.	140	62	3.3	2	-	Cast Iron, Plastics	C+B 170E
PIPEBEVEL TIPS STAINLESS						Steel, Aluminium, Stainless Steel	PipeBevel 220E, PipeBevel 360E

PC = PipeCut C+B = Cut+Bevel PS = Pro Series

BLADES & DISCS 165 are suitable for our former models: Exact PipeCut 280E, 360E, 410E