

## INFOSHEET

## **SPRINT WELDING SCREEN**



#### COMPOSITION

- For steel basic welding screen:
- Carbon steel tubes, profiles, powder coated or zinc plated.
- Contain no toxic parts.
- Contain no inflammable parts.
- Contain no electrical parts.

### **USE AND HANDLING**

Coating will be damaged by open fire or intensive heat. There is a possibility that the screen is unstable by rough, unequal floor conditions.

Oil or grease pollution do not have negative effects on the screens condition.

### **MAINTENANCE AND SAFETY**

- Bolts must be periodic checked at free assembly.
- Beams are only applicable for use of curtains or sheets, not for heavy weight products which overload the beam.
- It is not recommended for hoisting operations

### **FEATURES**

Made from solid welded carbon steel tubes and profiles. Screen is free moveable in any direction.

Screen will be supplied in loose parts, packed in a solid box, and must be fixed with included metric fasteners by basic tools.

#### **DESIGN**

Distance between floor level and upper beam is 194 cms, total width 198 cms. To obtain a stable construction, both foot profiles do have a length of 60 cms.

## TECHNICAL DATA

Type of welding screen : solid, moveable screen

**WELDING SCREEN** 

Total weight, basic screen : 12 kgs.

Maximum static load beam : 60 N

Maximum dynamic peak load beam : 100 N

Range : free moveable in any direction

Overall size height : 1940 mm
Functional width : 1980 mm
Fasteners : Metric
Castor : option
Operation : by hand

Coating : poles and foot profiles powder coated

in red RAL3020

Materials : steel tube and profiles

Application : for internal use





## INFOSHEET

## SPRINT WELDING SCREEN




## **DIMENSIONS SPRINT WELDING SCREEN**





## SPRINT WELDING SCREEN

## **PART LIST - BASIC PARTS SPRINT WELDING SCREEN**



99.36.24.0003

### PART LIST ACCESSOIRES OMNIUM SPRINT SCREEN

M6x12	M8x50	Ø18x6,5	M8	Ø25	30x30	30x30
		0		0		
4x	4x	4x	4x	4x	2x	4x



# INFOSHEET

## **SPRINT WELDING SCREEN**



### **MOUNTING INSTRUCTION SPRINT WELDING SCREEN**

