



PipeCut 460 Pro Series *Next generation Exact*

WEIGHT



17.7
kg

RANGE OF USE



100MM – 460MM

MAX PIPE WALL



STEEL
20MM



PLASTIC
50MM

SUITABLE FOR

ALL
MATERIALS

VOLTAGE

110–120V/50–60 Hz
220–240V/50–60 Hz



PipeCut 460 Pro Series

I Voltage/Power/Current 230 V | 2500 W

II Voltage/Power/Current 110–120 V | 2200 W

No-Load speed 1 = 1900 r/min

2 = 2900 r/min

Blade diameter 165 mm

Mounting bore 62 mm


Speed preselection

Next generation Exact PipeCut 460 Pro Series

Exact PipeCut 460 Pro Series is a groundbreaking new, most advanced pipe cutting machine of the Exact's Pro Series product family. Intended for heavy-duty, large/medium pipes. You will effortlessly make straight and precise pipe cuts on all pipe materials. It is extremely safe and easy to use as a result of the well designed mechanics. The machine is portable and can be easily carried to where the cuts need to be done. You can cut steel pipes with wall thickness of (up to) 20 mm and 50 mm for plastics. All other pipe materials are suitable to be cut as well. Suitable on pipe diameters 100 - 460 mm. The strong motor along with other features and patented gripping unit makes a real timesaver on the work-site, boosting productivity and leaving more time for other work.

PRICE INCLUDES:

PipeCut 460 Pro Series pipe saw, TCT 165 blade, shoulder bag, pipe supports 2 single 1 double, instructions, allen keys 5 mm & 2 mm.



BLADES & DISCS FOR PipeCut 460 Pro Series – see more on page 23

www.exacttools.com

exact
Pipe Cutting System

BLADES & DISCS 140

	BLADE/DISCS DIMENSIONS (MM)						SUITABLE WITH
	Ø	BORE	KERF	BODY	TEETH	PIPE MATERIAL	
TCT 140	140	62	1.8	1.4	46	Steel, Copper, Plastics	PC 170, 170E, 220E, 280 PS, 360 PS, 460 PS
TCT Z140	140	62	1.8	1.4	38	Steel, Copper, Plastics	PC 170, 170E, 220E, 280 PS, 360 PS, 460 PSPC460PS
CERMET 140	140	62	1.8	1.4	46	Steel, Stainless Steel, Copper, Plastics	PC 170, 170E, 220E, 280 PS, 360 PS, 460 PS
CERMET 140 THIN	140	62	1.4	1.2	46	Steel, Stainless Steel, Copper, Plastics	For special application
DIAMOND X140	140	62	2.7	1.5	-	Cast Iron, Ductile (nodular cast iron)	PC 170, 170E, 220E, 280 PS, 360 PS, 460 PS
ALU 140	140	62	2.5	1.8	36	Aluminium	PC 170, 170E, 220E, 280 PS, 360 PS, 460 PS
INOX 140 <i>NEW</i>	140	62	1.65	1.3	46	Stainless Steel, Acid Proof	PC 220 INOX & 360 INOX

BLADES & DISCS 165

PLEASE NOTE: PS (Pro Series) models can be mounted with a 140 mm saw blade, but will have limited maximum cutting depth.

	BLADE/DISCS DIMENSIONS (MM)						SUITABLE WITH
	Ø	BORE	KERF	BODY	TEETH	PIPE MATERIAL	
TCT 165	165	62	1.8	1.4	52	Steel, Copper, Plastics	PC 280 PS, 360 PS, 460 PS
CERMET 165	165	62	1.8	1.4	52	Steel, Stainless Steel, Copper, Plastics	PC 280 PS, 360 PS, 460 PS
DIAMOND X165	165	62	2.7	1.5	-	Cast Iron, Ductile (Nodular Cast Iron)	PC 280 PS, 360 PS, 460 PS
ALU 165	165	62	2.5	1.8	42	Aluminium	PC 280 PS, 360 PS, 460 PS
DIAMOND Cut+Bevel	165	62	3.1	2	0	Cast Iron, Ductile (Nodular Cast Iron)	C+B 360 PS, C+B AIR 360

BLADES 180

	BLADE/DISCS DIMENSIONS (MM)						SUITABLE WITH
	Ø	BORE	KERF	BODY	TEETH	PIPE MATERIAL	
ALU 180	180	62	2.7	1.8	46	Aluminium, Plastics	PC AIR 360, 360 PS, 460 PS
CERMET 180	180	62	2.7	1.8	46	Steel, Stainless Steel	PC AIR 360, 360 PS, 460 PS
DIAMOND X180	180	62	2.7	1.5	-	Cast Iron	PC AIR 360, 360 PS, 460 PS

SPECIAL BLADES & TIPS

	BLADE/DISCS DIMENSIONS (MM)						SUITABLE WITH
	Ø	BORE	KERF	BODY	TEETH	PIPE MATERIAL	
CERMET V155	155	65	1.6	1.4	58	Thin wall ventilation pipes	PC V1000
TCT P150	150	62	1.8	1.4	40	Plastics (PE, PP, PVC and similar)	PC P400
CUT+BEVEL	148	62	2/30		40/8	Plastics (PE, PP, PVC and similar)	PC P400
CUT+BEVEL DIAM.	140	62	3.3	2	-	Cast Iron, Plastics	C+B 170E
PIPEBEVEL TIPS STAINLESS						Steel, Aluminium, Stainless Steel	PipeBevel 220E, PipeBevel 360E

PC = PipeCut

C+B = Cut+Bevel

PS = Pro Series

BLADES & DISCS 165 are suitable for our former models: Exact PipeCut 280E, 360E, 410E