United Kingdom



# PRODUCT NUMBER: 3301106 Laser Lite Single-Use (Corded)

>

Learn more about our products at howardleight.com

Learn more about hearing conservation at hearforever.org >



Overview
Reference Number 3301106
Product Type Hearing Protection
Range Earplugs
Line Disposable Earplugs
Brand Howard Leight by Honeywell
Industry
<ul> <li>Industry Administration Agriculture Army - Defence ATEX environment</li> <li>Automotive and Part Manufacturer Aviation Building and Construction Catering</li> <li>Chemical Industries Energy or Electricity Fire Protection brigades Fishing Food Industries</li> <li>Foundry Glass Industries Green Spaces Homeland defense Industrial Cleaning</li> <li>Iron and steel industry Laboratory Logistics Maintenance Medical and Pharmaceutical</li> <li>Metal steel Minning and Quarrying Offshore Paper Industries Petro-chemical</li> <li>Printing Industries Services Ship Building Telecoms Textile Industries Transportation</li> <li>Utilities Water treatment Welding Wood Industries</li> </ul>

## Product Use

Single-Use Earplug

## **Features & Benefits**

### Feature

VIBRANT COLOURS Makes protection fun – and highly visible. SELF-ADJUSTING FOAM Polyurethane foam adjusts to fit virtually every wearer. CONTOURED T-SHAPE Aids in easy insertion, removal from ear canal.

#### Benefit

The bright idea in hearing protection, Laser Lite's low-pressure foam expands gently inside the ear canal for comfortable long-term wear, while its contoured T-shape delivers easy handling. Its high visibility magenta and yellow colors make

### Laser Lite Single-Use (Corded) - 3301106

compliance checks quick and easy. Plus, Laser Lite is available with special packaging and dispenser options, ideal for process industries with low tolerances for packaging waste.

### **Technical Description**

SNR (dB) 35 H (dB) 34 M (dB) 32 L (dB)

31

### **Attenuation Data**

Frequency (Hz) Frequenz (Hz) Fréquence (Hz)	63	125	250	500	1000	2000	4000	8000
Mean Attenuation (dB) Mittlere Dämmung (dB) Atténuation moyenne (dB)	33.4	34.1	35.5	37.6	34.9	35.7	42.5	44.1
Standard Deviation (dB) Standardabweichung (dB) Déviation standard (dB)	4.6	4.7	4.6	4.1	5.0	2.8	2.9	4.2
Assumed Protection (dB) Angenommener (dB) Protection suppossé (dB)	28.8	29.4	30.9	33.5	29.9	32.9	39.6	39.9

### Size

# Fits All

Color Yellow and Magenta

Shape

t

Corded

Yes

Weight (grs) 0.48

# Certifications

E.C. Declaration of Conformity

EC Category PPE 2 Quality Assurance

ISO 9001 / 2000 EC Certificate Number 951095

EC Attestation

EC Attestation Number 9503632

#### User Manual

Instruction Manual - Laser Lite (global)

## Maintenance

### Life Cycle

These plugs must be disposed of and replaced after each wearing.

### **Storage Information**

All earplugs should be stored before and between usages in a way that protects them from dirt, grease, and other contaminants.

### **Care Instructions**

Disposable earplugs are made of either TPE (Thermoplastic elastomers) or polyurethane foam. Washing and cleaning of disposable earplugs are not recommended. These plugs must be disposed of and replaced after each wearing. Excessive moisture reduces the attenuation and slows down the foam recovery which may lead to improper fit.

Packaging

EAN Code 033552002215

© Honeywell International Inc.



EG-Baumusterprüfbescheinigung									
EG-Baumusterprüfbescheinigung									
Name und Anschrift desSperian Hearing Protection, LLCBescheinigungsinhabers:7828 Waterville Road(Auftraggeber)San Diego, CA 92154, USA									
Name und Anschrift desSperian Hearing Protection, LLCHerstellers:7828 Waterville RoadSan Diego, CA 92154, USA									
Produktbezeichnung: Gehörschutzstöpsel "Howard Leight Laser Lite" mit (LL-30) und ohne (LL-1) Verbindungsschnur									
Typ: Howard Leight Laser Lite									
Bestimmungsgemäße Vor Gebrauch zu formender Gehörschutzstöpsel zum einfachen Gebrauch / Persönliche Verwendung: Schutzausrüstung nach Art. 8 (2) der EG-Richtlinie 89/686/EWG (Kategorie II)									
<ul> <li>Prüfgrundlage: - Grundlegende Anforderungen für Gesundheitsschutz und Sicherheit nach Anhang II der EG-Richtlinie 89/686/EWG</li> <li>EN 352-2:2002</li> <li>EN 13819-1:2002</li> <li>EN 13819-2:2002</li> </ul>									
Zugehöriger Prüfbericht: 95 03632 vom 28.07.1995 und 2008 22449 vom 28.07.2008									
Bemerkungen: Dieses Zertifikat ersetzt das Zertifikat mit der gleichen Nummer ausgestellt am 28.06.1995.									

Das geprüfte Baumuster entspricht den einschlägigen Bestimmungen der Richtlinie 89/686/EWG (**Persönliche Schutzausrüstungen**), geändert durch die Richtlinien 93/68/EWG, 93/95/EWG und 96/58/EG.

Weiteres über die Gültigkeit, eine Gültigkeitsverlängerung und andere Bedingungen regelt die Prüf- und Zertifizierungsordnung vom April 2004.

Leiter der Zertifizierungsstelle

(Dr. rer. nat. Peter Paszkiewicz)

teler

Fachzertifiziererin (Dr. rer. nat. Sandra Dantscher)

Postadresse: • 53757 Sankt Augustin • Hausadresse: Alte Heerstraße 111 • 53757 Sankt Augustin Telefon: 02241 231-02 • Telefax: 02241 231-2234 • E-Mail bgia@dguv.de • www.dguv.de/bgia



	Institut für Arbeitsschutz der					
Certificate No. <b>BGIA 951095</b> Date of issue: <b>2008-07-28</b>	Deutschen Gesetzlichen Unfallversicherung Prüf- und Zertifizierungsstelle im BG-PRÜFZERT					
<u>Translation</u> In any case, the German original shall prevail	EC-Type Test Certificate					
Name and address of the holder of the certificate: (customer)	Sperian Hearing Protection, LLC 7828 Waterville Road San Diego, CA 92154, USA					
Name and address of the manufacturer:	Sperian Hearing Protection, LLC 7828 Waterville Road San Diego, CA 92154, USA					
Product designation:	Ear-plug "Howard Leight Laser Lite" LL-1 (uncorded) and LL-30 (corded)					
Туре:	Howard Leight Laser Lite					
Intended purpose:	Disposable ear-plug (shape before use) / personal protective equipment according to article 8 (2) of the EC-directive 89/686/EEC (category II)					
Testing based on:	<ul> <li>Basic requirements for health and safety in accordance with Annex II of the EC- directive 89/686/EEC</li> <li>EN 352-2:2002</li> <li>EN 13819-1:2002</li> <li>EN 13819-2:2002</li> </ul>					
Test report:	95 03632 as of 1995-06-28 and 2008 22449 as of 2008-07-28					
Remarks:	This certificate replaces the certificate with the same number issued 1995-06-28.					

The type tested complies with the provisions laid down in the directive 89/686/EEC (Personal Protective Equipment), amended by the directives 93/68/EEC, 93/95/EEC und 96/58/EC.

Further conditions are laid down in the Rules of Procedure for Testing and Certification of April 2004.

Mfc .....

Head of certification body (Dr. rer. nat. Peter Paszkiewicz)

.....

Certification officer (Dr. rer. nat. Sandra Dantscher)

Postal address: • 53757 Sankt Augustin • Office: Alte Heerstraße 111 • 53757 Sankt Augustin Phone: +49 (0) 2241 231-02 • Fax: +49 (0) 2241 231-2234 • E-Mail bgia@dguv.de • www.dguv.de/bgia



# **E.C.** Declaration of Conformity

The manufacturer or its legal representative supplier in the European Community: Honeywell Safety Products Europe

Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE: Designation: Laser Lite Single-Use (Corded) Reference: 3301106 Standard(s): EN 352-2:1993, EN-24869-1:1993

This PPE is the object of the below EC examination certificate n°: 951095

Delivered by:

B.G.I.A. Alte Heerstrasse 111 53754 Stankt Augustin Germany

Drawn up in Germany, on the 17/10/2016 <u>By</u>: Division: Hearing Protection

Tephen !

Zl Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80 www.honeywellsafety.com