



MTG 320i /FSC/UD/4.5m/45°/LED

4,035,931




DETAIL IF

JM LED




OPT/i T-Handle for Push


44,0350,5298



OPT/i Button Extension Kit




Torch Trigger




MTG 320i /FSC/UD/4.5m/45°/LED (4,035,931)


MTG 320i





TAB. 1 contact tip



M6	CuCrZr	Ø mm	Ø inch	Part No.
		0,6	0,023	42,0001,4928,10
		0,7	0,027	42,0001,6524,10
		0,8	0,030	42,0001,4461,10
		0,9	0,035	42,0001,4462,10
		1,0	0,040	42,0001,4463,10
		1,1	0,043	42,0001,6527,10
		1,2	0,045	42,0001,4464,10
		1,3	0,051	42,0001,6529,10
		1,4	0,052	42,0001,4465,10
		1,5	0,059	42,0001,6522,10
		1,6	0,062	42,0001,4466,10



TAB. 1 contact tip

M8x1,5	CuCrZr	Ø mm	Ø inch	Part No.
		0,7	0,027	42,0001,6482,10
		0,8	0,030	42,0001,6464,10
		0,9	0,035	42,0001,6465,10
		1,0	0,040	42,0001,6466,10
		1,1	0,043	42,0001,6483,10
		1,2	0,045	42,0001,6467,10
		1,3	0,051	42,0001,6484,10
		1,4	0,052	42,0001,6468,10
		1,5	0,059	42,0001,6485,10
		1,6	0,062	42,0001,6469,10
		1,8	0,071	42,0001,6470,10
		2,0	0,078	42,0001,6471,10
		2,4	0,095	42,0001,6472,10
		2,8	0,110	42,0001,4642,10

M6	CuCrZr	Ø mm	Ø inch	Part No.
	AI	0,8	0,030	42,0001,6525,10
		1,0	0,040	42,0001,6526,10
		1,2	0,045	42,0001,6528,10
		1,6	0,062	42,0001,6523,10
				

M8x1,5	CuCrZr	Ø mm	Ø inch	Part No.
	AI	0,8	0,030	42,0001,6537,10
		1,0	0,040	42,0001,4750,10
		1,2	0,045	42,0001,4751,10
		1,6	0,062	42,0001,4752,10
				

M6	E-Cu	Ø mm	Ø inch	Part No.
		0,9	0,035	42,0001,7025,10
		1,0	0,040	42,0001,7026,10
		1,2	0,045	42,0001,7027,10
				

M8x1,5	E-Cu	Ø mm	Ø inch	Part No.
		0,9	0,035	42,0001,7028,10
		1,0	0,040	42,0001,7029,10
		1,2	0,045	42,0001,7030,10
				

TAB. 2 gas nozzle

Technical drawing of a gas nozzle. The drawing shows a side view of the nozzle with dimensions labeled: d1 (thread diameter), d2 (nozzle diameter), d3 (total length), and L (length of the nozzle body). The thread is specified as M23x2. A black circle is placed above the drawing.

d1		d2		d3		L		Part No.	
mm	inch	mm	inch	mm	inch	mm	inch		
13	0.51	25	0.98	16,4	0.64	59	2.32	42,0001,4085	
15	0.59	25	0.98	18,6	0.73	59	2.32	42,0001,4048	
13	0.51	25	0.98	16,4	0.64	61	2.40	42,0001,4086	
15	0.59	25	0.98	18,1	0.71	61	2.40	42,0001,4474	
15	0.59	27	1.06	20,2	0.80	61	2.40	42,0001,4789	
17	0.71	25	0.98	20,8	0.82	63	2.40	42,0001,4476	
13	0.51	25	0.98	16,4	0.64	63	2.40	42,0001,4497	AI
13	0.51	25	0.98	16,4	0.64	63	2.48	42,0001,4080	
15	0.59	25	0.98	18,6	0.73	61	2.40	42,0001,4496	AI
15	0.59	25	0.98	18,6	0.73	63	2.48	42,0001,4051	
17	0.71	25	0.98	20,8	0.82	61	2.40	42,0001,4494	AI
17	0.71	25	0.98	20,8	0.82	63	2.48	42,0001,4050	
17	0.71	27	1.06	20,8	0.82	63	2.48	42,0001,4216	
21	0.82	25	0.98	25,0	0.98	63	2.48	42,0001,4054	
15	0.59	25	0.98	18,6	0.73	68	2.68	42,0001,4052	
17	0.71	25	0.98	20,8	0.82	68	2.68	42,0001,4049	


TAB. 11 gas nozzle


Technical drawing of a gas nozzle. The drawing shows a side view of the nozzle with the following dimensions and features:

- Thread:** M23x2
- Dimensions:**
 - d1:** Diameter of the inlet connection.
 - d2:** Diameter of the outlet connection.
 - d3:** Diameter of the main body.
 - L:** Total length of the nozzle.

d1		d2		d3		L		Part No.	
mm	inch	mm	inch	mm	inch	mm	inch		
13	0.51	ø25	0.98	16	0.63	62,5	2.46	42,0001,4917	
10	0.39	ø25	0.98	16	0.63	68,0	2.68	42,0001,6715	
13	0.51	ø25	0.98	16	0.63	68,0	2.68	42,0001,6716	

Tab. 3




material			d1		d2		Part No. L		Part No. L		Part No. L	
	Ø mm	Ø inch	mm	inch	mm	inch	5m 16.4feet	15m 49.2feet	50m 160feet			
Steel liner	0,8	.030	1,4	.055	4,4	.176	40,0002,0040,005	40,0002,0040,015	40,0002,0040,050			
Steel liner	0,9-1,0	.035/.040	1,6	.062	4,8	.189	40,0002,0041,005	40,0002,0041,015	40,0002,0041,050			
Steel liner	1,2	.045	1,9	.074	4,9	.192	40,0002,0042,005	40,0002,0042,015	40,0002,0042,050			
Steel liner	1,4-1,6	.052/.062	2,5	.098	4,9	.192	40,0002,0043,005	40,0002,0043,015	40,0002,0043,050			
CrNi liner	0,8	.030	1,4	.055	4,4	.176	40,0002,0044,005	40,0002,0044,015	40,0002,0044,050			
CrNi liner	0,9-1,0	.035/.040	1,6	.062	4,8	.189	40,0002,0045,005	40,0002,0045,015	40,0002,0045,050			
CrNi liner	1,2	.045	1,9	.074	4,9	.192	40,0002,0046,005	40,0002,0046,015	40,0002,0046,050			
CrNi liner	1,4-1,6	.052/.062	2,5	.098	4,9	.192	40,0002,0047,005	40,0002,0047,015	40,0002,0047,050			
Steel liner coated	0,8	.030	1,4	.055	4,4	.176	40,0002,0052,005	40,0002,0052,015	40,0002,0052,050			
Steel liner coated	0,9-1,0	.035/.040	1,6	.062	4,8	.189	40,0002,0053,005	40,0002,0053,015	40,0002,0053,050			
Steel liner coated	1,2	.045	1,9	.074	4,9	.192	40,0002,0054,005	40,0002,0054,015	40,0002,0054,050			
Steel liner coated	1,4-1,6	.052/.062	2,5	.098	4,9	.192	40,0002,0055,005	40,0002,0055,015	40,0002,0055,050			

Tab. 3

combi liner W AL



combi liner G AL

combi inner liner G




		L		d1		d2		combi liner W AL	combi liner G AL	combi inner liner G
Ø mm	Ø inch	m	feet	mm	inch	mm	inch	Part No.	Part No.	Part No.
0,8	.030	2,0	6.5	1,2	.059	4,7	.185	44,0350,3388	44,0350,3400	44,0350,5550
0,8	.030	3,8	12.4	1,2	.059	4,7	.185	44,0350,3392	44,0350,3404	44,0350,5513
0,8	.030	4,8	15.7	1,2	.059	4,7	.185	44,0350,3396	44,0350,3408	44,0350,5518
0,9-1,0	.035/.040	2,0	6.5	1,5	.062	4,7	.185	44,0350,3389	44,0350,3401	44,0350,5551
0,9-1,0	.035/.040	3,8	12.4	1,5	.062	4,7	.185	44,0350,3393	44,0350,3405	44,0350,5514
0,9-1,0	.035/.040	4,8	15.7	1,5	.062	4,7	.185	44,0350,3397	44,0350,3409	44,0350,5519
1,2	.045	2,0	6.5	1,8	0.74	4,7	.185	44,0350,3390	44,0350,3402	44,0350,5552
1,2	.045	3,8	12.4	1,8	0.74	4,7	.185	44,0350,3394	44,0350,3406	44,0350,5515
1,2	.045	4,8	15.7	1,8	0.74	4,7	.185	44,0350,3398	44,0350,3410	44,0350,5520
1,4-1,6	.052/.062	2,0	6.5	2,4	.098	4,7	.185	44,0350,3391	44,0350,3403	44,0350,5553
1,4-1,6	.052/.062	3,8	12.4	2,4	.098	4,7	.185	44,0350,3395	44,0350,3407	44,0350,5516
1,4-1,6	.052/.062	4,8	15.7	2,4	.098	4,7	.185	44,0350,3399	44,0350,3411	44,0350,5521
2,0	.045	2,0	6.5	1,2	.059	4,7	.185	44,0350,3615	44,0350,3618	44,0350,5554
2,0	.045	3,8	12.4	3,0	.118	4,7	.185	44,0350,3616	44,0350,3619	44,0350,5517
2,0	.045	4,8	15.7	3,0	.118	4,7	.185	44,0350,3617	44,0350,3620	44,0350,5522

TAB. 4 clamping piece


 Ø mm Ø inch		Fe / CrNi	Alu / CuSi	colour	
0,8	.031		44,0350,3314	grey	
0,8	.031	44,0350,3315		grey	
0,9-1,0	.039	44,0350,3317		blue	
1,2	.047	44,0350,3318		red	
1,4-1,6	.062	44,0350,3320		black	
2,0	.078		44,0350,3321	green	
2,4	.095		44,0350,4245	brown	
2,0	.078	42,0001,4589			
2,4	.095				
2,8	.110				

basic kits


	Ø mm	Ø inch	m	feet	Fe MTG / MTW Part No.	CrNi MTG / MTW Part No.	Alu MTW Part No.	CuSi MTW Part No.	Alu/CuSi MTG Part No.
	0,6	.023	5,0	11.5	44,0350,5296	X	X	X	
	0,8	.030	5,0	11.5	44,0350,5117	44,0350,5158	44,0350,5135	44,0350,5144	
	0,9	.035	5,0	14.8	44,0350,5118	44,0350,5159	44,0350,5136	44,0350,5145	
	1,0	.040	5,0	11.5	44,0350,5119	44,0350,5160	44,0350,5137	44,0350,5146	
	1,2	.047	5,0	14.8	44,0350,5120	44,0350,5161	44,0350,5138	44,0350,5147	
	1,4	.052	5,0	11.5	44,0350,5121	44,0350,5162	44,0350,5139	44,0350,5148	
	1,6	.062	5,0	14.8	44,0350,5122	44,0350,5163	44,0350,5140	44,0350,5149	
	2,0	.078	5,0	14.8	X	X	44,0350,5141	X	

TOOLS


contact tip + nozzle stock



nozzle stock

nozzle stock	socket	torque wrench 5-25 Nm
42,0001,3987 	42,0435,0234 	 42,0435,0090
44,0350,3424 	42,0435,0236	
42,0001,4920 	42,0435,0233	
42,0001,4622 	42,0435,0233	

contact tip

contact tip	torque wrench	torque driver
M6 	42,0001,6774	 42,0411,0013
M8x1,5 	42,0001,6775	

MTG 320i /FSC/UD/4.5m/45°/LED (4,035,931)

Article no.	Description	Quantity	Unit
42,0402,0258	O-ring 4x1.2mm FKM	1	pc
42,0407,0100	CABLE FIXING 150	1	pc
44,0450,1436	Extract. tool CPC+35mm extens.	1	pc
42,0405,1293	Pistol grip TPSi Push	1	pc
44,0350,5298	OPT/i T-Handle SET for Push	1	pc
42,0405,0753	Heat shield PA6 ø18mm	1	pc
42,0100,0575	Spatter guard Ø11,2/Ø20,2x22	1	pc
42,0001,3987	Nozz.stock M8x1.5/SW11x32.5 CU	1	pc
42,0100,1429	Ins. ring ø20.5/ø12.15x8mm	1	pc
42,0100,1156	Spatter guard ø14,5/ø18x21,3	1	pc
42,0001,6336	Clamping nut Contec/SW11x19,5	1	pc
44,0350,3424	Contec MD nozzle fitt. MTG320i	1	pc
42,0100,0532	Spatter guard Ø11.2/Ø20.2x22HD	1	pc
42,0100,0530	Insul. ring D20.5/D12.15x8mm	1	pc
44,0350,3880	Ins. sleeve ø14/ø20.7x21 cpl.	1	pc
42,0001,4622	Nozzle fit.M8x1.5/SW9x32.5 CU	1	pc
42,0001,4920	Nozzle fitting M6/SW10x36 CU	1	pc
42,0001,4086	Gas nozzle ø13/ø25x61.5 CT	1	pc
42,0001,4080	Gas nozzle ø13/ø25x63 CT	1	pc
42,0001,4917	Gas noz. narrow Ø13/Ø25x62.5	1	pc
42,0001,3912,100	Contec-Shell 100 pcs MD	1	pk
42,0001,3912,10	Contec-Shell 10 pcs MD	1	pk
42,0001,3982	Gas nozzle mount. G 320i/400i	1	pc
42,0100,0620	Insul. sleeve ø20.2/ø14.15x21	1	pc
42,0001,6525,10	Contact tip 0,8 / M6 / Ø8x24mm	1	pk
42,0001,6526,10	Contact tip 1,0 / M6 / Ø8x24mm	1	pk
42,0001,6528,10	Contact tip 1,2 / M6 / Ø8x24mm	1	pk
42,0001,6523,10	Contact tip 1,6/M6/ø8x24 Al	1	pk
42,0001,6482,10	Contact tip 0,7/M8x1,5/Ø10x32	1	pk
42,0001,6464,10	Contact tip 0,8/M8x1,5/ø10x32	1	pk
42,0001,6465,10	Contact tip 0,9/M8x1,5/ø10x32	1	pk
42,0001,6466,10	Contact tip 1,0/M8x1,5/ø10x32	1	pk
42,0001,6483,10	Contact tip 1,1/M8x1,5/Ø10x32	1	pk
42,0001,6467,10	Contact tip 1,2/M8x1,5/ø10x32	1	pk

MTG 320i /FSC/UD/4.5m/45°/LED (4,035,931)

Article no.	Description	Quantity	Unit
42,0001,6484,10	Contact tip 1,3/M8x1,5/Ø10x32	1	pk
42,0001,6468,10	Contact tip 1,4/M8x1,5/Ø10x32	1	pk
42,0001,6485,10	Contact tip 1,5/M8x1,5/Ø10x32	1	pk
42,0001,6469,10	Contact tip 1,6/M8x1,5/Ø10x32	1	pk
42,0001,6470,10	Contact tip 1,8/M8x1,5/Ø10x32	1	pk
42,0001,6471,10	Contact tip 2,0/M8x1,5/Ø10x32	1	pk
42,0001,6472,10	Contact tip 2,4/M8x1,5/Ø10x32	1	pk
42,0001,4642,10	Contact tip 2.8/M8x1.5/Ø10x32	1	pk
42,0001,6537,10	Cont. tip 0.8/M8x1.5/Ø10x32 Al	1	pk
42,0001,4750,10	Cont. tip 1.0/M8x1.5/Ø10x32 Al	1	pk
42,0001,4751,10	Cont. tip 1.2/M8x1.5/Ø10x32 Al	1	pk
42,0001,4752,10	Cont. tip 1.6/M8x1.5/Ø10x32 Al	1	pk
42,0001,6524,10	Contact tip 0,7 / M6 / 8x24mm	1	pk
42,0001,4461,10	Contact tip 0,8/M6/Ø8x24 10 pc	1	pk
42,0001,4462,10	Contact tip 0,9/M6/Ø8x24 10pcs	1	pk
42,0001,4463,10	Contact tip 1,0/M6/Ø8x24 10pcs	1	pk
42,0001,6527,10	Contact tip 1,1 / M6 / Ø8x24mm	1	pk
42,0001,4464,10	Contact tip 1,2/M6/Ø8x24 10pcs	1	pk
42,0001,6529,10	Contact tip 1,3 / M6 / Ø8x24mm	1	pk
42,0001,4465,10	Contact tip 1,4/M6/Ø8x24 10pcs	1	pk
42,0001,6522,10	Contact tip 1,5 / M6 / 8x24mm	1	pk
42,0001,4466,10	Contact tip 1,6/M6/Ø8x24 10pcs	1	pk
42,0001,7025,10	Contact tip 0.9/M6/Ø8x24/SQ	1	pk
42,0001,7026,10	Contact tip 1.0/M6/Ø8x24/SQ	1	pk
42,0001,7027,10	Contact tip 1.2/M6/Ø8x24/SQ	1	pk
42,0001,7028,10	Cont. tip 0.9/M8x1.5/Ø10x32/SQ	1	pk
42,0001,7029,10	Cont. tip 1.0/M8x1.5/Ø10x32/SQ	1	pk
42,0001,7030,10	Cont. tip 1.2/M8x1.5/Ø10x32/SQ	1	pk
42,0001,4085	Gas nozzle Ø13/Ø25x59 CT	1	pc
42,0001,4048	Gas nozzle Ø15/Ø25x59 CT	1	pc
42,0001,4474	Gas nozzle Ø15/Ø25x61 CT	1	pc
42,0001,4789	Gas nozzle Ø15/Ø27x61 CT HD	1	pc
42,0001,4476	Gas nozzle Ø17 / Ø25x61 CT	1	pc
42,0001,4497	Gas nozzle Ø13/Ø25x61 CT/C	1	pc

MTG 320i /FSC/UD/4.5m/45°/LED (4,035,931)

Article no.	Description	Quantity	Unit
42,0001,4496	Gas nozzle ø15/ø25x61 CT/C	1	pc
42,0001,4051	Gas nozzle ø15/ø25x63 CT	1	pc
42,0001,4494	Gas nozzle ø17/ø25x61 CT/C	1	pc
42,0001,4050	Gas nozzle ø17/ø25x63 CT	1	pc
42,0001,4216	Gas nozzle Ø17/Ø27x63 CT HD	1	pc
42,0001,4054	Gas nozzle cyl ø21.1/ø25x63 CT	1	pc
42,0001,4052	Gas nozzle ø15/ø25x68 CT	1	pc
42,0001,4049	Gas nozzle ø17/ø25x68 CT	1	pc
42,0001,6715	Gas nz. nar. gap Ø10/Ø25x68 CT	1	pc
42,0001,6716	Gas nz. nar. gap Ø13/Ø25x68 CT	1	pc
44,0350,3410	Combi liner G Al /1.2/4.8m	1	pc
44,0350,3403	Combi liner G Al /1.6/2.0m	1	pc
44,0350,3407	Combi liner G Al /1.6/3.8m	1	pc
44,0350,3411	Combi liner G Al /1.6/4.8m	1	pc
44,0350,3405	Combi liner G Al /1.0/3.8m	1	pc
44,0350,3409	Combi liner G Al /1.0/4.8m	1	pc
44,0350,3402	Combi liner G Al /1.2/2.0m	1	pc
44,0350,3406	Combi liner G Al 1.2/3.8m	1	pc
44,0350,3620	Combi liner G Al /2.0/4.8m	1	pc
44,0350,3619	Combi liner G Al /2.0/3.8m	1	pc
44,0350,3400	Combi liner G Al /0.8/2.0m	1	pc
44,0350,3404	Combi liner G Al /0.8/3.8m	1	pc
44,0350,3408	Combi liner G Al /0.8/4.8m	1	pc
44,0350,3401	Combi liner G Al /1.0/2.0m	1	pc
44,0350,5520	Combination liner G /1.2/4.8m	1	pc
44,0350,5516	Combination liner G /1.6/3.8m	1	pc
44,0350,5521	Combination liner G /1.6/4.8m	1	pc
44,0350,5514	Combination liner G /1.0/3.8m	1	pc
44,0350,5519	Combination liner G /1.0/4.8m	1	pc
44,0350,5515	Combination liner G /1.2/3.8m	1	pc
44,0350,5517	Combination liner G /2.0/3.8m	1	pc
44,0350,5513	Combination liner G /0.8/3.8m	1	pc
44,0350,5518	Combination liner G /0.8/4.8m	1	pc
42,0404,0453	Bronze liner 2.7x1.0x40mm	1	pc

MTG 320i /FSC/UD/4.5m/45°/LED (4,035,931)

Article no.	Description	Quantity	Unit
42,0404,0192	Bronze inner liner 2,7x1 0,32m	1	pc
42,0100,1370	Connector uni. to liner	1	pc
42,0100,1369	Outlet part to liner MAG02	1	pc
44,0350,3392	Combi liner W Al /0.8/3.8m	1	pc
44,0350,3396	Combi liner W Al /0.8/4.8m	1	pc
44,0350,3393	Combi liner W Al /1.0/3.8m	1	pc
44,0350,3397	Combi liner W Al /1.0/4.8m	1	pc
44,0350,3394	Combi liner W Al /1.2/3.8m	1	pc
44,0350,3398	Combi liner W Al /1.2/4.8m	1	pc
44,0350,3395	Combi liner W Al /1.6/3.8m	1	pc
44,0350,3399	Combi liner W Al /1.6/4.8m	1	pc
44,0350,3616	Combi liner W Al /2.0/3.8m	1	pc
44,0350,3617	Combi liner W Al /2.0/4.8m	1	pc
40,0002,0040,015	Steel liner exposed 0.8/15m	1	pc
40,0002,0041,015	Steel liner exposed 1.0 / 15m	1	pc
40,0002,0042,015	Steel liner exposed 1.2/15m	1	pc
40,0002,0043,015	Steel liner exposed 1.6/15m	1	pc
40,0002,0044,015	CrNi liner exposed 0.8/15m	1	pc
40,0002,0045,015	CrNi liner exposed 1.0/15m	1	pc
40,0002,0046,015	CrNi liner exposed 1.2/15m	1	pc
40,0002,0047,015	CrNi liner exposed 1.6/15m	1	pc
40,0002,0052,015	Steel inner liner C 0.8 / 15 m	1	pc
40,0002,0053,015	Steel inner liner C 1.0 / 15 m	1	pc
40,0002,0054,015	Steel inner liner C 1.2 / 15 m	1	pc
40,0002,0055,015	Steel inner liner C 1.6 / 15 m	1	pc
40,0002,0040,005	Steel liner exposed 0.8/5m	1	pc
40,0002,0041,005	Steel liner exposed 1.0/5m	1	pc
40,0002,0042,005	Steel liner exposed 1.2/5m	1	pc
40,0002,0043,005	Steel liner exposed 1.6/5m	1	pc
40,0002,0044,005	CrNi liner exposed 0.8/5m	1	pc
40,0002,0045,005	CrNi liner exposed 1.0/5m	1	pc
40,0002,0046,005	CrNi liner exposed 1.2/5m	1	pc
40,0002,0047,005	CrNi liner exposed 1.6/5m	1	pc
40,0002,0052,005	Steel inner liner C 0.8 / 5 m	1	pc

MTG 320i /FSC/UD/4.5m/45°/LED (4,035,931)

Article no.	Description	Quantity	Unit
40,0002,0053,005	Steel inner liner C 1.0 / 5 m	1	pc
40,0002,0054,005	Steel inner liner C 1.2 / 5 m	1	pc
40,0002,0055,005	Steel inner liner C 1.6 / 5 m	1	pc
40,0002,0040,050	Steel liner exposed 0.8/50m	1	pc
40,0002,0041,050	Steel liner exposed 1.0/50m	1	pc
40,0002,0042,050	Steel liner exposed 1.2/50m	1	pc
40,0002,0043,050	Steel liner exposed 1.6/50m	1	pc
40,0002,0044,050	CrNi liner exposed 0.8/50m	1	pc
40,0002,0045,050	CrNi liner exposed 1.0/50m	1	pc
40,0002,0046,050	CrNi liner exposed 1.2/50m	1	pc
40,0002,0047,050	CrNi liner exposed 1.6/50m	1	pc
40,0002,0052,050	Steel inner liner C 0.8 / 50 m	1	pc
40,0002,0053,050	Steel inner liner C 1.0 / 50 m	1	pc
40,0002,0054,050	Steel inner liner C 1.2 / 50 m	1	pc
40,0002,0055,050	Steel inner liner C 1.6 / 50 m	1	pc
44,0350,3388	Combi liner W Al /0.8/2.0m	1	pc
44,0350,3389	Combi liner W Al /1.0/2.0m	1	pc
44,0350,3390	Combi liner W Al /1.2/2.0m	1	pc
44,0350,3391	Combi liner W Al /1.6/2.0m	1	pc
44,0350,5550	Combination liner G /0.8/2.0m	1	pc
44,0350,5552	Combination liner G /1.2/2.0m	1	pc
44,0350,5553	Combination liner G /1.6/2.0m	1	pc
44,0350,5522	Combination liner G /2.0/4.8m	1	pc
44,0350,5554	Combination liner G /2.0/2.0m	1	pc
44,0350,3615	Combi liner W Al /2.0/2.0m	1	pc
44,0350,3618	Combi liner G Al /2.0/2.0m	1	pc
44,0350,5551	Combination liner G /1.0/2.0m	1	pc
44,0350,3314	Clamping nipple 0.8 Al / CuSi	1	pc
44,0350,3315	Clamping piece 0.8 Fe / CrNi	1	pc
44,0350,3318	Clamping piece 1.2	1	pc
44,0350,3320	Clamping piece 1.4/1.6	1	pc
44,0350,3317	Clamping piece 0.9 / 1.0	1	pc
44,0350,3321	Clamping piece 2.0 Al	1	pc
42,0001,4589	Clamping piece 2.8 SSFCW	1	pc

MTG 320i /FSC/UD/4.5m/45°/LED (4,035,931)

Article no.	Description	Quantity	Unit
44,0350,4245	Clamping piece 2.4 Al	1	pc
44,0350,5144	BK Al ø0.8 /G CuSi ø0.8 G/W/5m	1	pc
44,0350,5145	BK Al ø0.9 /G CuSi ø0.9 G/W/5m	1	pc
44,0350,5146	BK Al ø1.0 /G CuSi ø1.0 G/W/5m	1	pc
44,0350,5147	BK Al ø1.2 /G CuSi ø1.2 G/W/5m	1	pc
44,0350,5148	BK Al ø1.4 /G CuSi ø1.4 G/W/5m	1	pc
44,0350,5149	BK Al ø1.6/G CuSi ø1.6 G/W/5m	1	pc
44,0350,5135	BK Al ø0.8 /W/5m	1	pc
44,0350,5136	BK Al ø0.9 /W/5m	1	pc
44,0350,5137	BK Al ø1.0 /W/5m	1	pc
44,0350,5138	BK Al ø1,2 W/5m MTW	1	pc
44,0350,5139	BK Al ø1.4 /W/5m	1	pc
44,0350,5140	BK Al ø1.6 /W/5m	1	pc
44,0350,5141	BK Al ø2.0 /W/5m	1	pc
44,0350,5163	BK CrNi ø1.6 /G/W/5m	1	pc
44,0350,5162	BK CrNi ø1.4 /G/W/5m	1	pc
44,0350,5160	BK CrNi ø1,0 G/W/5m MTG/MTW	1	pc
44,0350,5161	BK CrNi ø1,2 G/W/5m MTG/MTW	1	pc
44,0350,5159	BK CrNi ø0.9 /G/W/5m	1	pc
44,0350,5158	BK CrNi ø0.8 /G/W/5m	1	pc
44,0350,5296	BK Fe ø0,6 /G/W/5m	1	pc
44,0350,5117	BK Fe ø0.8 /G/W/5m	1	pc
44,0350,5118	BK Fe ø0.9 /G/W/5m	1	pc
44,0350,5119	BK Fe ø1,0 G/W/5m MTG/MTW Fe	1	pc
44,0350,5120	BK Fe ø1.2 /G/W/5m	1	pc
44,0350,5121	BK Fe ø1.4 /G/W/5m	1	pc
44,0350,5122	BK Fe ø1.6 /G/W/5m	1	pc
42,0201,3216	Multitool TB wear parts	1	pc
42,0435,0090	Torque wrench 5-25 NM	1	pc