



MTW 700i /FSC/JM/4.5m/45°/LED

4,035,968



OPT/i T-Handle for Push

44,0350,5298




OPT/i Button Extension Kit





Torch Trigger







TAB. 1 contact tip

M8x1,5	CuCrZr	Ø mm	Ø inch	Part No.
		0,7	0.027	42,0001,6482,10
		0,8	0.030	42,0001,6464,10
		0,9	0.035	42,0001,6465,10
		1,0	0.040	42,0001,6466,10
		1,1	0.043	42,0001,6483,10
		1,2	0.045	42,0001,6467,10
		1,3	0.051	42,0001,6484,10
		1,4	0.052	42,0001,6468,10
		1,5	0.059	42,0001,6485,10
		1,6	0.062	42,0001,6469,10
		1,8	0.071	42,0001,6470,10
		2,0	0.078	42,0001,6471,10
		2,4	0.095	42,0001,6472,10
		2,8	0.110	42,0001,6462,10




M8x1,5	CuCrZr	Ø mm	Ø inch	Part No.
		0,8	0.030	42,0001,6537,10
		1,0	0.040	42,0001,4750,10
		1,2	0.045	42,0001,4751,10
		1,6	0.062	42,0001,4752,10

M8x1,5	E-Cu	Ø mm	Ø inch	Part No.
		0,9	0.035	42,0001,7028,10
		1,0	0.040	42,0001,7029,10
		1,2	0.045	42,0001,7030,10

TAB. 5 gas nozzle										
										
	d1		d2		d3		L		Part No.	
	mm	inch	mm	inch	mm	inch	mm	inch		
①	17	0.66	ø29	1.10	22	0.86	71	2.79	44,0350,3966	Standard MTW 700i/750i
②	17	0.66	ø29	1.10	22	0.86	16	0.63	42,0001,4257	Standard MTW 700i/750i
①	17	0.66	ø29	1.10	22	0.86	76	3.00	44,0350,3942	HD
②	17	0.66	ø29	1.10	22	0.86	21	0.83	42,0001,4670	HD
①	17	0.66	ø29	1.10	22	0.86	68,5	2.70	44,0350,4079	Standard MTB 700i W R
②	17	0.66	ø29	1.10	22	0.86	13,5	0.53	42,0001,4868	Standard MTB 700i W R
①	13	0.51	ø29	1.10	22	0.86	69	2.72	44,0350,0226	Laser Hybrid
②	13	0.51	ø29	1.10	22	0.86	14	0.55	42,0001,0142	Laser Hybrid

Tab. 3


material			d1		d2		Part No. L		Part No. L		Part No. L	
	Ø mm	Ø inch	mm	inch	mm	inch	5m	16.4feet	15m	49.2feet	50m	160feet
Steel liner	0,8	.030	1,4	.055	4,4	.176	40,0002,0040,005		40,0002,0040,015		40,0002,0040,050	
Steel liner	0,9-1,0	.035/.040	1,6	.062	4,8	.189	40,0002,0041,005		40,0002,0041,015		40,0002,0041,050	
Steel liner	1,2	.045	1,9	.074	4,9	.192	40,0002,0042,005		40,0002,0042,015		40,0002,0042,050	
Steel liner	1,4-1,6	.052/.062	2,5	.098	4,9	.192	40,0002,0043,005		40,0002,0043,015		40,0002,0043,050	
CrNi liner	0,8	.030	1,4	.055	4,4	.176	40,0002,0044,005		40,0002,0044,015		40,0002,0044,050	
CrNi liner	0,9-1,0	.035/.040	1,6	.062	4,8	.189	40,0002,0045,005		40,0002,0045,015		40,0002,0045,050	
CrNi liner	1,2	.045	1,9	.074	4,9	.192	40,0002,0046,005		40,0002,0046,015		40,0002,0046,050	
CrNi liner	1,4-1,6	.052/.062	2,5	.098	4,9	.192	40,0002,0047,005		40,0002,0047,015		40,0002,0047,050	
Steel liner coated	0,8	.030	1,4	.055	4,4	.176	40,0002,0052,005		40,0002,0052,015		40,0002,0052,050	
Steel liner coated	0,9-1,0	.035/.040	1,6	.062	4,8	.189	40,0002,0053,005		40,0002,0053,015		40,0002,0053,050	
Steel liner coated	1,2	.045	1,9	.074	4,9	.192	40,0002,0054,005		40,0002,0054,015		40,0002,0054,050	
Steel liner coated	1,4-1,6	.052/.062	2,5	.098	4,9	.192	40,0002,0055,005		40,0002,0055,015		40,0002,0055,050	

Tab. 3
combi liner W AL
combi liner G AL
combi inner liner G


		L		d1		d2		combi liner W AL	combi liner G AL	combi inner liner G
Ø mm	Ø inch	m	feet	mm	inch	mm	inch	Part No.	Part No.	Part No.
0,8	.030	2,0	6.5	1,2	.059	4,7	.185	44,0350,3388	44,0350,3400	44,0350,5550
0,8	.030	3,8	12.4	1,2	.059	4,7	.185	44,0350,3392	44,0350,3404	44,0350,5513
0,8	.030	4,8	15.7	1,2	.059	4,7	.185	44,0350,3396	44,0350,3408	44,0350,5518
0,9-1,0	.035/.040	2,0	6.5	1,5	.062	4,7	.185	44,0350,3389	44,0350,3401	44,0350,5551
0,9-1,0	.035/.040	3,8	12.4	1,5	.062	4,7	.185	44,0350,3393	44,0350,3405	44,0350,5514
0,9-1,0	.035/.040	4,8	15.7	1,5	.062	4,7	.185	44,0350,3397	44,0350,3409	44,0350,5519
1,2	.045	2,0	6.5	1,8	0.74	4,7	.185	44,0350,3390	44,0350,3402	44,0350,5552
1,2	.045	3,8	12.4	1,8	0.74	4,7	.185	44,0350,3394	44,0350,3406	44,0350,5515
1,2	.045	4,8	15.7	1,8	0.74	4,7	.185	44,0350,3398	44,0350,3410	44,0350,5520
1,4-1,6	.052/.062	2,0	6.5	2,4	.098	4,7	.185	44,0350,3391	44,0350,3403	44,0350,5553
1,4-1,6	.052/.062	3,8	12.4	2,4	.098	4,7	.185	44,0350,3395	44,0350,3407	44,0350,5516
1,4-1,6	.052/.062	4,8	15.7	2,4	.098	4,7	.185	44,0350,3399	44,0350,3411	44,0350,5521
2,0	.045	2,0	6.5	1,2	.059	4,7	.185	44,0350,3615	44,0350,3618	44,0350,5554
2,0	.045	3,8	12.4	3,0	.118	4,7	.185	44,0350,3616	44,0350,3619	44,0350,5517
2,0	.045	4,8	15.7	3,0	.118	4,7	.185	44,0350,3617	44,0350,3620	44,0350,5522

TAB. 4 clamping piece


 Ø mm Ø inch		Fe / CrNi	Alu / CuSi	colour	
0,8	.031		44,0350,3314	grey	
0,8	.031	44,0350,3315		grey	
0,9-1,0	.039	44,0350,3317		blue	
1,2	.047	44,0350,3318		red	
1,4-1,6	.062	44,0350,3320		black	
2,0	.078		44,0350,3321	green	
2,4	.095		44,0350,4245	brown	
2,0	.078	42,0001,4589			 only stuck
2,4	.095				
2,8	.110				

basic kits


	Ø mm	Ø inch	m	feet	Fe MTG / MTW Part No.	CrNi MTG / MTW Part No.	Alu MTW Part No.	CuSi MTW Part No.	Alu/CuSi MTG Part No.
	0,6	.023	5,0	11.5	44,0350,5296	X	X	X	
	0,8	.030	5,0	11.5	44,0350,5117	44,0350,5158	44,0350,5135	44,0350,5144	
	0,9	.035	5,0	14.8	44,0350,5118	44,0350,5159	44,0350,5136	44,0350,5145	
	1,0	.040	5,0	11.5	44,0350,5119	44,0350,5160	44,0350,5137	44,0350,5146	
	1,2	.047	5,0	14.8	44,0350,5120	44,0350,5161	44,0350,5138	44,0350,5147	
	1,4	.052	5,0	11.5	44,0350,5121	44,0350,5162	44,0350,5139	44,0350,5148	
	1,6	.062	5,0	14.8	44,0350,5122	44,0350,5163	44,0350,5140	44,0350,5149	
	2,0	.078	5,0	14.8	X	X	44,0350,5141	X	

TOOLS


contact tip + nozzle stock



nozzle stock

		torque wrench 5-25 Nm
nozzle stock	socket	
42,0001,4726 	42,0435,0233 	 42,0435,0090
44,0350,3688 	42,0435,0236	

contact tip

		torque driver
contact tip	torque wrench	
M8x1,5 	42,0001,6775 	 42,0411,0013

MTW 700i /FSC/JM/4.5m/45°/LED (4,035,968)

Article no.	Description	Quantity	Unit
42,0407,0245	CLAMP W.INSERT 7,0/ø5,8-7,9	1	pc
42,0407,0100	CABLE FIXING 150	1	pc
42,0402,0258	O-ring 4x1.2mm FKM	1	pc
42,0407,0101	CABLE FIXING 204	1	pc
44,0450,1436	Extract. tool CPC+35mm extens.	1	pc
40,0009,0044	Grease O-ring	1	pc
42,0402,0286	O-ring ø7.5x1.5mm NBR70	1	pc
42,0405,0548	Sealing cap for plug nipple	1	pc
44,0350,3441	Wiref. hose 5.7x1.15 4.25m	1	pc
42,0405,1293	Pistol grip TPSi Push	1	pc
44,0350,5298	OPT/i T-Handle SET for Push	1	pc
42,0405,0753	Heat shield PA6 ø18mm	1	pc
42,0300,2565	Sealing ring lø10,0x1,5	1	pc
42,0001,4726	Nozzle fit. M8x1.5/SW10x29.4 H	1	pc
42,0100,1464	Insul. sleeve M18x1/Ø21.6x21	1	pc
42,0001,4725	Gas noz. holder W700i Ø30x11.5	1	pc
44,0350,3966	Gas nozzle W 700i ø17/ø29.5x71	1	pc
44,0350,3965	Cool. sl. cpl.W700i ø26.3x28.8	1	pc
42,0404,1393	Compression spring 2 9.07 3.2	6	pc
42,0001,4723	Lock catches Ø26.9xØ19.1x7	1	pc
42,0001,6336	Clamping nut Contec/SW11x19,5	1	pc
44,0350,3688	Contec MD nozzle stock MTW700i	1	pc
42,0402,0301	Sealing ring lø13x1 NBR70	2	pc
42,0300,3109	O-ring ø18.5x2.5mm FKM 70	2	pc
42,0001,3912,10	Contec-Shell 10 pcs MD	1	pk
42,0001,3912,100	Contec-Shell 100 pcs MD	1	pk
44,0350,3594	MTW 700i/45°/L174/H88	1	pc
42,0001,6482,10	Contact tip 0,7/M8x1,5/Ø10x32	1	pk
42,0001,6464,10	Contact tip 0,8/M8x1,5/Ø10x32	1	pk
42,0001,6465,10	Contact tip 0,9/M8x1,5/Ø10x32	1	pk
42,0001,6466,10	Contact tip 1,0/M8x1,5/Ø10x32	1	pk
42,0001,6483,10	Contact tip 1,1/M8x1,5/Ø10x32	1	pk
42,0001,6467,10	Contact tip 1,2/M8x1,5/Ø10x32	1	pk
42,0001,6484,10	Contact tip 1,3/M8x1,5/Ø10x32	1	pk

MTW 700i /FSC/JM/4.5m/45°/LED (4,035,968)

Article no.	Description	Quantity	Unit
42,0001,6468,10	Contact tip 1,4/M8x1,5/ø10x32	1	pk
42,0001,6485,10	Contact tip 1,5/M8x1,5/ø10x32	1	pk
42,0001,6469,10	Contact tip 1,6/M8x1,5/ø10x32	1	pk
42,0001,6470,10	Contact tip 1,8/M8x1,5/ø10x32	1	pk
42,0001,6471,10	Contact tip 2,0/M8x1,5/ø10x32	1	pk
42,0001,6472,10	Contact tip 2,4/M8x1,5/ø10x32	1	pk
42,0001,4642,10	Contact tip 2.8/M8x1.5/ø10x32	1	pk
42,0001,6537,10	Cont. tip 0.8/M8x1.5/Ø10x32 Al	1	pk
42,0001,4750,10	Cont. tip 1.0/M8x1.5/ø10x32 Al	1	pk
42,0001,4751,10	Cont. tip 1.2/M8x1.5/ø10x32 Al	1	pk
42,0001,4752,10	Cont. tip 1.6/M8x1.5/ø10x32 Al	1	pk
42,0001,7028,10	Cont. tip 0.9/M8x1.5/ø10x32/SQ	1	pk
42,0001,7029,10	Cont. tip 1.0/M8x1.5/ø10x32/SQ	1	pk
42,0001,7030,10	Cont. tip 1.2/M8x1.5/ø10x32/SQ	1	pk
42,0402,0304	Sealing ring lø25x1,5 FKM	1	pc
42,0402,0305	Sealing ring lø21x1.5 FKM	1	pc
42,0001,4257	Gas noz. mouthpiece Ø17/Ø29x29	1	pc
44,0350,3942	Gas noz.W 700i ø17/ø29.5x76 HD	1	pc
42,0001,4670	Gas noz. mouthp. ø17/29x34 HD	1	pc
44,0350,4079	Gas noz. W 700i Ø17/Ø29.5x68.5	1	pc
42,0001,4868	Gas noz. mouthpc. Ø17/Ø29x26.5	1	pc
44,0350,0226	Gas nozz. W 700iø13.2/ø29.5x69	1	pc
42,0001,0142	Gas nozzle mouthpiece ø13/ø29x	1	pc
44,0350,3410	Combi liner G Al /1.2/4.8m	1	pc
44,0350,3403	Combi liner G Al /1.6/2.0m	1	pc
44,0350,3407	Combi liner G Al /1.6/3.8m	1	pc
44,0350,3411	Combi liner G Al /1.6/4.8m	1	pc
44,0350,3405	Combi liner G Al /1.0/3.8m	1	pc
44,0350,3409	Combi liner G Al /1.0/4.8m	1	pc
44,0350,3402	Combi liner G Al /1.2/2.0m	1	pc
44,0350,3406	Combi liner G Al 1.2/3.8m	1	pc
44,0350,3620	Combi liner G Al /2.0/4.8m	1	pc
44,0350,3619	Combi liner G Al /2.0/3.8m	1	pc
44,0350,3400	Combi liner G Al /0.8/2.0m	1	pc

MTW 700i /FSC/JM/4.5m/45°/LED (4,035,968)

Article no.	Description	Quantity	Unit
44,0350,3404	Combi liner G Al /0.8/3.8m	1	pc
44,0350,3408	Combi liner G Al /0.8/4.8m	1	pc
44,0350,3401	Combi liner G Al /1.0/2.0m	1	pc
44,0350,5520	Combination liner G /1.2/4.8m	1	pc
44,0350,5516	Combination liner G /1.6/3.8m	1	pc
44,0350,5521	Combination liner G /1.6/4.8m	1	pc
44,0350,5514	Combination liner G /1.0/3.8m	1	pc
44,0350,5519	Combination liner G /1.0/4.8m	1	pc
44,0350,5515	Combination liner G /1.2/3.8m	1	pc
44,0350,5517	Combination liner G /2.0/3.8m	1	pc
44,0350,5513	Combination liner G /0.8/3.8m	1	pc
44,0350,5518	Combination liner G /0.8/4.8m	1	pc
42,0404,0453	Bronze liner 2.7x1.0x40mm	1	pc
42,0404,0192	Bronze inner liner 2,7x1 0,32m	1	pc
42,0100,1370	Connector uni. to liner	1	pc
42,0100,1369	Outlet part to liner MAG02	1	pc
44,0350,3392	Combi liner W Al /0.8/3.8m	1	pc
44,0350,3396	Combi liner W Al /0.8/4.8m	1	pc
44,0350,3393	Combi liner W Al /1.0/3.8m	1	pc
44,0350,3397	Combi liner W Al /1.0/4.8m	1	pc
44,0350,3394	Combi liner W Al /1.2/3.8m	1	pc
44,0350,3398	Combi liner W Al /1.2/4.8m	1	pc
44,0350,3395	Combi liner W Al /1.6/3.8m	1	pc
44,0350,3399	Combi liner W Al /1.6/4.8m	1	pc
44,0350,3616	Combi liner W Al /2.0/3.8m	1	pc
44,0350,3617	Combi liner W Al /2.0/4.8m	1	pc
40,0002,0040,015	Steel liner exposed 0.8/15m	1	pc
40,0002,0041,015	Steel liner exposed 1.0 / 15m	1	pc
40,0002,0042,015	Steel liner exposed 1.2/15m	1	pc
40,0002,0043,015	Steel liner exposed 1.6/15m	1	pc
40,0002,0044,015	CrNi liner exposed 0.8/15m	1	pc
40,0002,0045,015	CrNi liner exposed 1.0/15m	1	pc
40,0002,0046,015	CrNi liner exposed 1.2/15m	1	pc
40,0002,0047,015	CrNi liner exposed 1.6/15m	1	pc

MTW 700i /FSC/JM/4.5m/45°/LED (4,035,968)

Article no.	Description	Quantity	Unit
40,0002,0052,015	Steel inner liner C 0.8 / 15 m	1	pc
40,0002,0053,015	Steel inner liner C 1.0 / 15 m	1	pc
40,0002,0054,015	Steel inner liner C 1.2 / 15 m	1	pc
40,0002,0055,015	Steel inner liner C 1.6 / 15 m	1	pc
40,0002,0040,005	Steel liner exposed 0.8/5m	1	pc
40,0002,0041,005	Steel liner exposed 1.0/5m	1	pc
40,0002,0042,005	Steel liner exposed 1.2/5m	1	pc
40,0002,0043,005	Steel liner exposed 1.6/5m	1	pc
40,0002,0044,005	CrNi liner exposed 0.8/5m	1	pc
40,0002,0045,005	CrNi liner exposed 1.0/5m	1	pc
40,0002,0046,005	CrNi liner exposed 1.2/5m	1	pc
40,0002,0047,005	CrNi liner exposed 1.6/5m	1	pc
40,0002,0052,005	Steel inner liner C 0.8 / 5 m	1	pc
40,0002,0053,005	Steel inner liner C 1.0 / 5 m	1	pc
40,0002,0054,005	Steel inner liner C 1.2 / 5 m	1	pc
40,0002,0055,005	Steel inner liner C 1.6 / 5 m	1	pc
40,0002,0040,050	Steel liner exposed 0.8/50m	1	pc
40,0002,0041,050	Steel liner exposed 1.0/50m	1	pc
40,0002,0042,050	Steel liner exposed 1.2/50m	1	pc
40,0002,0043,050	Steel liner exposed 1.6/50m	1	pc
40,0002,0044,050	CrNi liner exposed 0.8/50m	1	pc
40,0002,0045,050	CrNi liner exposed 1.0/50m	1	pc
40,0002,0046,050	CrNi liner exposed 1.2/50m	1	pc
40,0002,0047,050	CrNi liner exposed 1.6/50m	1	pc
40,0002,0052,050	Steel inner liner C 0.8 / 50 m	1	pc
40,0002,0053,050	Steel inner liner C 1.0 / 50 m	1	pc
40,0002,0054,050	Steel inner liner C 1.2 / 50 m	1	pc
40,0002,0055,050	Steel inner liner C 1.6 / 50 m	1	pc
44,0350,3388	Combi liner W Al /0.8/2.0m	1	pc
44,0350,3389	Combi liner W Al /1.0/2.0m	1	pc
44,0350,3390	Combi liner W Al /1.2/2.0m	1	pc
44,0350,3391	Combi liner W Al /1.6/2.0m	1	pc
44,0350,5550	Combination liner G /0.8/2.0m	1	pc
44,0350,5552	Combination liner G /1.2/2.0m	1	pc

MTW 700i /FSC/JM/4.5m/45°/LED (4,035,968)

Article no.	Description	Quantity	Unit
44,0350,5553	Combination liner G /1.6/2.0m	1	pc
44,0350,5522	Combination liner G /2.0/4.8m	1	pc
44,0350,5554	Combination liner G /2.0/2.0m	1	pc
44,0350,3615	Combi liner W Al /2.0/2.0m	1	pc
44,0350,3618	Combi liner G Al /2.0/2.0m	1	pc
44,0350,5551	Combination liner G /1.0/2.0m	1	pc
44,0350,3314	Clamping nipple 0.8 Al / CuSi	1	pc
44,0350,3315	Clamping piece 0.8 Fe / CrNi	1	pc
44,0350,3318	Clamping piece 1.2	1	pc
44,0350,3320	Clamping piece 1.4/1.6	1	pc
44,0350,3317	Clamping piece 0.9 / 1.0	1	pc
44,0350,3321	Clamping piece 2.0 Al	1	pc
42,0001,4589	Clamping piece 2.8 SSFCW	1	pc
44,0350,4245	Clamping piece 2.4 Al	1	pc
44,0350,5144	BK Al ø0.8 /G CuSi ø0.8 G/W/5m	1	pc
44,0350,5145	BK Al ø0.9 /G CuSi ø0.9 G/W/5m	1	pc
44,0350,5146	BK Al ø1.0 /G CuSi ø1.0 G/W/5m	1	pc
44,0350,5147	BK Al ø1.2 /G CuSi ø1.2 G/W/5m	1	pc
44,0350,5148	BK Al ø1.4 /G CuSi ø1.4 G/W/5m	1	pc
44,0350,5149	BK Al ø1.6/G CuSi ø1.6 G/W/5m	1	pc
44,0350,5135	BK Al ø0.8 /W/5m	1	pc
44,0350,5136	BK Al ø0.9 /W/5m	1	pc
44,0350,5137	BK Al ø1.0 /W/5m	1	pc
44,0350,5138	BK Al ø1,2 W/5m MTW	1	pc
44,0350,5139	BK Al ø1.4 /W/5m	1	pc
44,0350,5140	BK Al ø1.6 /W/5m	1	pc
44,0350,5141	BK Al ø2.0 /W/5m	1	pc
44,0350,5163	BK CrNi ø1.6 /G/W/5m	1	pc
44,0350,5162	BK CrNi ø1.4 /G/W/5m	1	pc
44,0350,5160	BK CrNi ø1,0 G/W/5m MTG/MTW	1	pc
44,0350,5161	BK CrNi ø1,2 G/W/5m MTG/MTW	1	pc
44,0350,5159	BK CrNi ø0.9 /G/W/5m	1	pc
44,0350,5158	BK CrNi ø0.8 /G/W/5m	1	pc
44,0350,5296	BK Fe ø0,6 /G/W/5m	1	pc

MTW 700i /FSC/JM/4.5m/45°/LED (4,035,968)

Article no.	Description	Quantity	Unit
44,0350,5117	BK Fe ø0.8 /G/W/5m	1	pc
44,0350,5118	BK Fe ø0.9 /G/W/5m	1	pc
44,0350,5119	BK Fe ø1,0 G/W/5m MTG/MTW Fe	1	pc
44,0350,5120	BK Fe ø1.2 /G/W/5m	1	pc
44,0350,5121	BK Fe ø1.4 /G/W/5m	1	pc
44,0350,5122	BK Fe ø1.6 /G/W/5m	1	pc
42,0201,3216	Multitool TB wear parts	1	pc
42,0435,0090	Torque wrench 5-25 NM	1	pc