


TTG1600A-WKZ F/4m

4,035,831

TTG1600A-WKZ F/4m (4,035,831)


TTG1600A-WKZ F/4m/13.1ft

TTG1600P-WKZ F/4m/13.1ft



TTG1600A-WKZ F/4m (4,035,831)

Part No. gas lens	Part No. clamping nut	Part No. collet	Part No. electrode WC20	Part No. electrode WP	Part No. electrode WS2	Electrode Ø	
						Ø mm	Ø inch
44,0350,1500	42,0001,0692	42,0001,1148	42,0411,4012			1,0	.039
44,0350,1501	42,0001,0693	42,0001,1149	42,0411,4001	42,0411,4008	42,0411,0161	1,6	.063
44,0350,1460	42,0001,0694 x)	42,0001,1150 x)	42,0411,4002 x)	42,0411,4005	42,0411,0162	2,4	.094
44,0350,1461	42,0001,0695	42,0001,1151	42,0411,4003	42,0411,4006	42,0411,0163	3,2	.126



Tab. Torch Body A	
34,0350,2105	TTG 1600A
34,0350,2106	TTG 1600A,F
44,0350,2546	TTW 2500A
44,0350,2547	TTW 2500A,F
34,0350,2114	TTW 3000A
34,0350,2115	TTW 3000A,F

x) Standardausüstung
 x) standard equipment
 x) équipement standard
 x) equipamiento estándar
 x) accessori standard
 x) equipamento de série

gas nozzle ceramic plugable L=33	Part No.	gas nozzle ceramic plugable L=22	Part No.	d1		d2	
				mm	inch	mm	inch
	42,0300,0820		42,0300,0816	6,4	.252	21,0	.827
	42,0300,0821		42,0300,0817	7,9	.311	21,0	.827
	42,0300,0822 x)		42,0300,0818	9,5	.374	21,0	.827
	42,0300,0823		42,0300,0819	11,1	.437	21,0	.827

STANDARD

Part No. collet body	Part No. head shield	Part No. collet	Part No. electrode WC20	Part No. electrode WP	Part No. electrode WS2	Electrode Ø	
						Ø mm	Ø inch
42,0001,2827	42,0100,0391 x)	42,0001,1129	42,0411,4012			1,0	.039
42,0001,0260		42,0001,1130	42,0411,4001	42,0411,4008	42,0411,0161	1,6	.063
42,0001,0261 x)		42,0001,1132 x)	42,0411,4002 x)	42,0411,4005	42,0411,0162	2,4	.094
42,0001,0262		42,0001,1133	42,0411,4003	42,0411,4006	42,0411,0163	3,2	.126

Tab. gas nozzle
3/8"-24UNF
L=29.4mm




175 mm / 6,890 inch

44,0350,1761

44,0350,1495 x)

44,0350,1496



Tab. Torch Body P

34,0350,2110	TTG 1600P
34,0350,2111	TTG 1600P,F
44,0350,2548	TTW 2500P
44,0350,2549	TTW 2500P,F
34,0350,2119	TTW 3000P
34,0350,2120	TTW 3000P,F

x) Standardausrüstung
x) standard equipment
x) équipement standard
x) equipamiento estándar
x) accessori standard
x) equipamento de série

Tab. gas nozzle
9/16"-18UNF
L=25.4mm



STANDARD

gas nozzle ceramic screwable 3/8"-24UNF L=29.4mm 1.156inch	d1		d2		Part No.
	mm	inch	mm	inch	
	6,4	.252	14,3	.563	42,0300,0105
	7,9	.311	14,3	.563	42,0300,0106
	9,5	.374	14,3	.563	42,0300,0107 x)
	11,1	.437	17,5	.689	42,0300,0108
	12,7	.500	17,5	.689	42,0300,0109
	15,9	.626	20,6	.811	42,0300,0110

GAS LENS STANDARD


Electrode Ø		Part No. gas lens
Ø mm	Ø inch	
1,0	.039	42,0001,1343
1,6	.063	42,0001,1344
2,4	.094	42,0001,1345
3,2	.126	42,0001,1346

GAS LENS STANDARD

gas nozzle ceramic screwable 9/16"-18UNF L=25.4mm 1.0inch	d3		d4		Part No.
	mm	inch	mm	inch	
	6,4	.252	20,6	.811	42,0300,0982
	7,9	.311	20,6	.811	42,0300,0983
	9,5	.374	20,6	.811	42,0300,0984
	11,1	.437	20,6	.811	42,0300,2007
	12,7	.500	19	.748	42,0300,2008

GAS LENS LARGE

Part No. gas lens	Part No. head shield	Part No. collet	Part No. electrode WC20	Part No. electrode WP	Part No. electrode WS2	Electrode Ø	
						Ø mm	Ø inch
42,0001,3010	42,0100,0407	42,0001,2826	42,0411,4012			1,0	.039
42,0001,3011		42,0001,3001	42,0411,4001	42,0411,4008	42,0411,0161	1,6	.063
42,0001,3012		42,0001,3008	42,0411,4002	42,0411,4005	42,0411,0162	2,4	.094
42,0001,3013		42,0001,3009	42,0411,4003	42,0411,4006	42,0411,0163	3,2	.126




gas nozzle ceramic screwable 1"-16G L=47,6mm 1,875inch	d5		d6		Part No.
	mm	inch	mm	inch	
	9,5	.374	30,2	1,189	42,0300,2247
	12,7	.500	30,2	1,189	42,0300,2248
	15,9	.626	30,2	1,189	42,0300,2249
	19,0	.75	30,2	1,189	42,0300,2250

Tab. Torch Body P	
34,0350,2110	TTG 1600P
34,0350,2111	TTG 1600P,F
44,0350,2548	TTW 2500P
44,0350,2549	TTW 2500P,F
34,0350,2119	TTW 3000P
34,0350,2120	TTW 3000P,F

GAS LENS SMALL

Part No. gas lens	Part No. head shield	Part No. collet	Part No. electrode WC20	Part No. electrode WP	Part No. electrode WS2	Electrode Ø	
						Ø mm	Ø inch
44,0350,1489	42,0100,0388 long	42,0001,3002	42,0411,4012			1,0	.039
44,0350,1490		42,0001,3003	42,0411,4001	42,0411,4008	42,0411,0161	1,6	.063
44,0350,1491	42,0100,0387 x)	42,0001,3004	42,0411,4002	42,0411,4005	42,0411,0162	2,4	.094



TORCH BODY P

gas nozzle ceramic screwable 7/16"-20 UNF L=15,9mm 0,625inch	d7		d8		Part No.
	mm	inch	mm	inch	
	6,4	.252	15,9	.626	42,0300,2244
	7,9	.311	15,9	.626	42,0300,2245
	9,5	.374	15,9	.626	42,0300,2246

- x) Standardausüstung
- x) standard equipment
- x) équipement standard
- x) equipamiento estándar
- x) accessori standard
- x) equipamento de série

TTG1600A-WKZ F/4m (4,035,831)

Article no.	Description	Quantity	Unit
42,0300,2595	Sealing round lø7,0x2,0 Viton	1	pc
34,0350,2105	Torch body TTG1600A	1	pc
34,0350,2110	Torch body TTG1600P	1	pc
44,0350,1461	Gas lens 3,2/ø12x11	1	pc
44,0350,1500	Gas lens 1,0/ø12x11	1	pc
44,0350,1501	Gas lens 1,6/ø12x11	1	pc
44,0350,1460	Gas lens 2,4/ø12x11	1	pc
42,0001,0695	Clamping nut 3,2/SW10x10,3	1	pc
42,0001,0692	Clamping nut 1,0/SW10x10,3	1	pc
42,0001,0694	Clamping nut 2,4/SW10x10,7	1	pc
42,0001,0693	Clamping nut 1,6/SW10x10,3	1	pc
42,0001,1151	Clamping sleeve 3,2/ø5,3x12,7	1	pc
42,0001,1148	Clamping sleeve 1,0/ø5,3x12,7	1	pc
42,0001,1150	Clamping sleeve 2,4/ø5,3x12,7	1	pc
42,0001,1149	Clamping sleeve 1,6/ø5,3x12,7	1	pc
42,0411,4005	Tungsten electrode WP/ø2,4x175	1	pc
42,0411,4006	Tungsten electrode WP/ø3,2x175	1	pc
42,0411,4008	Tungsten electrode WP/ø1,6x175	1	pc
42,0411,4003	Tungsten electr. WC20/ø3,2x175	1	pc
42,0411,4012	Tungsten electr. WC20/ø1,0x175	1	pc
42,0411,4002	Tungsten electr. WC20/ø2,4x175	1	pc
42,0411,4001	Tungsten electr. WC20/ø1,6x175	1	pc
42,0300,0817	Gas nozzle ceramic ø21/ø8x22	1	pc
42,0300,0819	Gas nozzle ceramic ø21/ø11x22	1	pc
42,0300,0818	Gas nozzle ceramic ø21/ø9,5x22	1	pc
42,0300,0816	Gas nozzle ceramic ø21/ø6,5x22	1	pc
42,0300,0822	Gas nozzle ceramic ø21/ø9,5x33	1	pc
42,0300,0821	Gas nozzle ceramic ø21/ø8x33	1	pc
42,0300,0823	Gas nozzle ceramic Ø11/Ø21x33	1	pc
42,0300,0820	Gas nozzle ceramic ø21/ø6,5x33	1	pc
44,0350,2546	Torch body TTW2500A	1	pc
44,0350,2547	Torch body TTW2500A F	1	pc
34,0350,2115	Torch body TTW3000A F	1	pc
34,0350,2114	Torch body TTW3000A	1	pc

TTG1600A-WKZ F/4m (4,035,831)

Article no.	Description	Quantity	Unit
34,0350,2106	Torch body TTG1600A F	1	pc
44,0350,0338	Torch cap short L11	1	pc
44,0350,0336	Torch cap long L153	1	pc
44,0350,0337	Torch cap middle L64	1	pc
42,0411,0162	Tungsten electr. WS2-2.4x175mm	1	pc
42,0411,0163	Tungsten electr. WS2-3.2x175mm	1	pc
42,0411,0161	Tungsten electr. WS2-1.6x175mm	1	pc
42,0001,1345	Gas lens 2,4/ø14x22,5	1	pc
42,0001,1346	Gas lens 3,2/ø14x22,5	1	pc
42,0001,1343	Gas lens 1,0/ø14x22,5	1	pc
42,0001,1344	Gas lens 1,6/ø14x22,5	1	pc
42,0001,0261	Clamp. sl. case 2,4/ø9,5x20,6	1	pc
42,0001,2827	Clamp. sl. case 1,0/ø9,5x20,6	1	pc
42,0001,0260	Clamp. sl. case 1,6/ø9,5x20,6	1	pc
42,0001,0262	Clamp. sl. case 3,2/ø9,5x20,6	1	pc
42,0300,0107	Gas nozzle ceramic ø14/ø9,5x30	1	pc
42,0300,0983	Gas nozzle ceramic ø20/ø8x25,5	1	pc
42,0300,0982	Gas nozzle cer. ø20/ø6,5x25,5	1	pc
42,0300,0984	Gas nozzle cer. ø20/ø9,5x25,5	1	pc
42,0300,2008	Gas nozzle cer. ø19/ø12,5x25,5	1	pc
42,0300,2007	Gas nozzle ceram. ø20/ø11x25,5	1	pc
42,0300,0109	Gas nozzle cer. ø17,5/ø12,5x30	1	pc
42,0300,0110	Gas nozzle ceramic ø21/ø16x30	1	pc
42,0300,0105	Gas nozzle ceramic ø14/ø6,5x30	1	pc
42,0300,0106	Gas nozzle ceramic ø14/ø8x30	1	pc
42,0300,0108	Gas nozzle ceramic ø15/ø11x30	1	pc
44,0350,2549	Torch body TTW2500P F	1	pc
34,0350,2119	Torch body TTW3000P	1	pc
34,0350,2120	Torch body TTW3000P F	1	pc
34,0350,2111	Torch body TTG1600P F	1	pc
44,0350,2548	Torch body TTW2500P	1	pc
42,0100,0391	Head shield stand. ø20/ø10,1x7	1	pc
44,0350,1496	Torch cap middle L64	1	pc
44,0350,1761	Torch cap short L11	1	pc

TTG1600A-WKZ F/4m (4,035,831)

Article no.	Description	Quantity	Unit
44,0350,1495	Torch cap long L153	1	pc
44,0350,1497	Torch cap short L11	1	pc
42,0300,2244	Gas nozzle ceramic $\varnothing 16/\varnothing 6,5 \times 16$	1	pc
42,0300,2245	Gas nozzle ceramic $\varnothing 16/\varnothing 8 \times 16$	1	pc
42,0300,2246	Gas nozzle ceramic $\varnothing 16/\varnothing 9,5 \times 16$	1	pc
44,0350,1489	Gas lens 1,0/ $\varnothing 11,5 \times 15$	1	pc
44,0350,1491	Gas lens 2,4/ $\varnothing 11,5 \times 15$	1	pc
44,0350,1490	Gas lens 1,6/ $\varnothing 11,5 \times 15$	1	pc
42,0100,0388	Visor small $\varnothing 10.1/\varnothing 23 \times 16$	1	pc
42,0100,0387	Head shield 7/16" $\varnothing 20/\varnothing 12 \times 6$	1	pc
42,0001,3002	Clamping sleeve 1,0/ $\varnothing 3,2 \times 14$	1	pc
42,0001,3003	Clamping sleeve 1,6/ $\varnothing 3,2 \times 14$	1	pc
42,0001,3004	Clamping sleeve 2,4/ $\varnothing 4 \times 13,5$	1	pc
42,0300,2250	Gas nozzle ceram. $\varnothing 30,5/\varnothing 19 \times 48$	1	pc
42,0300,2248	Gas nozzle cer. $\varnothing 30,5/\varnothing 12,5 \times 48$	1	pc
42,0300,2249	Gas nozzle ceram. $\varnothing 30,5/\varnothing 16 \times 48$	1	pc
42,0300,2247	Gas nozzle cer. $\varnothing 30,5/\varnothing 9,5 \times 48$	1	pc
42,0001,3009	Clamping sleeve 3,2/ $\varnothing 5,3 \times 40,2$	1	pc
42,0001,3001	Clamping sleeve 1,6/ $\varnothing 5,3 \times 40,2$	1	pc
42,0001,3008	Clamping sleeve 2,4/ $\varnothing 5,3 \times 40,2$	1	pc
42,0001,2826	Clamping sleeve 1,0/ $\varnothing 5,3 \times 40,2$	1	pc
42,0001,3011	Gas lens big 1,6/ $\varnothing 25,4 \times 41$	1	pc
42,0001,3012	Gas lens big 2,4/ $\varnothing 25,4 \times 41$	1	pc
42,0001,3013	Gas lens big 3,2/ $\varnothing 25,4 \times 41$	1	pc
42,0001,3010	Gas lens big 1,0/ $\varnothing 25,4 \times 41$	1	pc
42,0100,0407	Head shield big $\varnothing 30/\varnothing 12,8 \times 14$	1	pc